AMENDMENT OF SOLICITATI	ON/MODIFICATI	ON OF CONT	RACT	1. Contract I		Page 1 Of 6
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Pur	chase Req		5. Project No.	(If applicable)
P00002	2003MAY02	SEE SC	HEDULE			
6. Issued By	Code W56HZV	7. Administered B	y (If other	than Item 6)		Code S1403A
TACOM		DCMA CHICA	GO			
AMSTA-AQ-ADBB		1523 WEST C	ENTRAL RO	AD		
SAM CAMPANELLA (586)574-5502 WARREN, MICHIGAN 48397-5000		BLDG 231	ртанта т	L 60004-245	1	
HTTP://CONTRACTING.TACOM.ARMY.MIL		ACHINGION	EIGHID I	L 00004 243	-	
EMAIL: CAMPANES@TACOM.ARMY.MIL			SCD C	PAS NONE	A DD I	PT HQ0339
8. Name And Address Of Contractor (No., Stre	et, City, County, State and				nt Of Solicitation	
,	,, ,, ,					
TRAK INTERNATIONAL				0D D 4 1/G	T. 44)	
369 W WESTERN AVE PORT WASHINGTON WI 53074-2233				9B. Dated (See	Item 11)	
FORT WASHINGTON WI 33074-2233			□□	10A. Modificat	tion Of Contract	/Order No.
						, 01 del 1101
TYPE BUSINESS: Large Business Perfo	rmina in II S		\ <u></u>	DAAE07-02-C-		
				10B. Dated (Se 2002SEP26	e Item 13)	
	HIS ITEM ONLY APPLI	EC TO AMENDME	NTC OF SC		re	
The above numbered solicitation is amend	led as set forth in item 14.	The hour and date	specified fo	or receipt of Off	fers	
is extended, is not extended.			411:-:4-	- 4:		h - f - 11
Offers must acknowledge receipt of this ame (a) By completing items 8 and 15, and return						ne following methods: dment on each copy of the
offer submitted; or (c) By separate letter or						
ACKNOWLEDGMENT TO BE RECEIVED						
SPECIFIED MAY RESULT IN REJECTIO change may be made by telegram or letter, p						
opening hour and date specified.	or or the cut of the c	icitei illunes i cici cii	ce to the so	incitation and t	ins unicidancia,	and is received prior to the
12. Accounting And Appropriation Data (If red	quired)					
NO CHANGE TO OBLIGATION DATA						
	ITEM ONLY APPLIES T	O MODIFICATION	S OF CON	NTRACTS/ORI	DERS	
KIND MOD CODE: G	It Modifies The Contra	act/Order No. As De	scribed In	Item 14.		
A. This Change Order is Issued Pursual The Contract/Order No. In Item 10.				The Ch	anges Set Forth	In Item 14 Are Made In
B. The Above Numbered Contract/Orde		The Administrative (Changes (su	ich as changes i	in paying office,	appropriation data, etc.)
Set Forth In Item 14, Pursuant To T	he Authority of FAR 43.10	03(b).				
X C. This Supplemental Agreement Is Ent	ered Into Pursuant 10 Au	thority OI: MUTUAL	AGREEMEN	T OF THE PAR	FIES	
D. Other (Specify type of modification a	and authority)					
E. IMPORTANT: Contractor is not,	X is required to sign	this document and	return	0	copies to the Issu	ing Office.
14. Description Of Amendment/Modification (Organized by UCF section	headings, including	solicitation	/contract subje	ct matter where	feasible.)
SEE SECOND PAGE FOR DESCRIPTION						
Except as provided herein, all terms and condi-	tions of the document refer	renced in item 9A or	10A, as he	retofore chang	ed, remains uncl	nanged and in full force
and effect.		161.37	1 7500	26.0 4 4	O Ret //E	• 4)
15A. Name And Title Of Signer (Type or print)	1	16A. Name)ı Contracting	Officer (Type or	r print)
		FRANZENM		MY.MIL (810)5	74-6304	
15B. Contractor/Offeror	15C. Date Signed	16B. United	States Of	America		16C. Date Signed
		By		/SIGNED/		2003MAY02
(Signature of person authorized to sign)	_		ignature o	f Contracting C	Officer)	
NSN 7540-01-152-8070		30-105-02			STANDARD FO	ORM 30 (REV. 10-83)

CONTINUATION SHEET	Reference No. of Document Be	Page 2 of 6	
CONTINUATION SHEET	PIIN/SIIN DAAE07-02-C-T056	MOD/AMD P00002	

Name of Offeror or Contractor: TRAK INTERNATIONAL

SECTION A - SUPPLEMENTAL INFORMATION

- 1. The purpose of this Modification P00002 is to change the Performance Completion Dates for CLINs 0002AA and 0003AA from 31 January 2003 to 15 May 2003.
- 2. This Modification P00002 does not change the total price of this Contract.
- 3. Except as provided herein, all contract terms and conditions remain unchanged and in full force and effect.

*** END OF NARRATIVE A 002 ***

Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-C-T056

MOD/AMD P00002

Page 3 **of** 6

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS				
0002AA	SERVICES LINE ITEM	22	EA		\$ 10,251.56
	NOUN: CORROSION PROTECT-ATLAS VEHS PRON: P115E629EH PRON AMD: 01 ACRN: AB AMS CD: 53657240172				
	SCOPE OF WORK				
	KATS TRANSIT PROTECTION COATING IAW THIS SCOPE OF WORK AND TRAK DRAWING 7127722				
	FOR 22 ATLAS VEHICLES TO BE SHIPPED OVER OCEAN TO KUWAIT (16 EA) AND HAWAII (6 EA)				
	TRAK PERSONNEL TO APPLY TRANSIT PROTECTION COATING BEFORE VEHICLES ARE LOADED ON COMMON CARRIERS				
	PURPOSE: To seal metal with easily removable plastic coating for protection from rust and corrosion.				
	SCOPE: Seal all exposed cylinder rod surfaces with item 2 multi-purpose grease. Seal all other exposed unpainted and plated metal with transit coat including surfaces that are accessible with boom, tank and transmission covers removed and with engine, radiator and battery doors open. Unpainted surfaces include boom chains and chain clevises. Plated surfaces include pin ends, fastener hardware, hydraulic tubes, fittings and hose ends.				
	APPLICATION EQUIPMENT: BINKS Model 2001 Spray Gun with 2 quart pressure pot, #66 size nozzle, #66 SD tip, 20 PSI at pot and 80 PSI at gun.				
	APPLICATION: Clean and dry all surfaces to be sprayed with Transit Coat except do not remove grease coat from boom chains. Dry Time - 1 to 15 minutes depending on temperature, humidity, and coat thickness. Coat Thickness003 to .005.				
	THE FOLLOWING ITEMS WILL BE OVERPACKED IN SECURED SHIPPING PACKAGE ON EACH ATLAS VEHICLE THAT IS TRANSIT COATED				
	- 24 Oz Decoater Bottle - 3 EA - Spray Decoater Gun - 1 EA - Coating Removal Instructions - 1 EA - Print of Dwg #7127722 and 7127732				

Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-C-T056

MOD/AMD P00002

Page 4 of 6

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	(End of narrative C001)				
	Inspection and Acceptance INSPECTION: Destination ACCEPTANCE: Destination				
	PAYMENT: TRAK is submit the DD250 to TACOM, AMSTA-LC-CJBB (Mr. Sam Campanella). The Contracting Officer will sign the DD250 authorizing payment.				
	(End of narrative E001)				
	Deliveries or Performance DLVR SCH PERF COMPL REL CD QUANTITY DATE 001 22 15-MAY-2003 \$ 10,251.56				
0003AA	SERVICES LINE ITEM	18	EA		\$10,530.0
	NOUN: CORROSION PROTECT-ATLAS VEHS PRON: P115E630EH PRON AMD: 01 ACRN: AB AMS CD: 53657240172				
	SCOPE OF WORK				
	KATS TRANSIT PROTECTION COATING IAW THIS SCOPE OF WORK, TRAK DRAWING 7127722, AND OMNIQUIP TEXTRON DEVIATION 02-11-008 DATED 11/15/2002				
	FOR 18 ATLAS VEHICLES TO BE SHIPPED TO ALASKA (14) AND QATAR (4)				
	TRAK PERSONNEL TO APPLY TRANSIT PROTECTION COATING BEFORE VEHICLES ARE LOADED ON COMMON CARRIERS				
	PURPOSE: To seal metal with easily removable plastic coating for protection from rust and corrosion.				
	SCOPE OF WORK: Seal all exposed cylinder rod surfaces with item 2 multi-purpose grease.				
	Seal all other exposed unpainted and plated metal with transit coat including surfaces that are accessible with boom, tank and transmission covers removed and with engine,				

Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-C-T056

MOD/AMD P00002

Page 5 of 6

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	radiator and battery doors open. Unpainted				
	surfaces include boom chains and chain				
	clevises. Plated surfaces include pin ends,				
	fastener hardware, hydraulic tubes, fittings				
	and hose ends.				
	Seal the following:				
	(INSURE ALL VENTS ARE CLOSED PRIOR TO TREATMENT)				
	CAB - Entire cab exterior including cab door				
	hinges, cab roof area, underneath cab				
	including flanged areas				
	FRAME - Outside and inside to include all				
	flanges and boxed areas				
	TOOL BOXES - Internally and externally				
	FENDERS - Exterior and underside to include				
	all flanges and boxed areas				
	HYDRAULIC TANK - Exterior				
	BATTERY BOX - Exterior and Interior				
	FUEL TANK - Exterior				
	ENGINE - Treat exterior of engine hood and				
	surrounding exterior sheet metal				
	AXLE ASSYS - Exterior				
	TRANSMISSION/TRANSFER CASE - Exterior				
	BOOM - Exterior extended				
	10K AND 6K CARRIAGES				
	DO NOT TREAT WINDOWS AND MIRRORS				
	APPLICATION EQUIPMENT: BINKS Model 2001 Spray				
	Gun with 2 quart pressure pot, #66 size				
	nozzle, #66 SD tip, 20 PSI at pot and 80 PSI				
	at gun.				
	APPLICATION: Clean and dry all surfaces to be				
	sprayed with Transit Protection Coat except				
	do not remove grease coat from boom chains.				
	Dry Time - 1 to 15 minutes depending on				
	temperature, humidity, and coat thickness.				
	Coat Thickness003 to .005.				
	THE FOLLOWING ITEMS WILL BE OVERPACKED IN				
	SECURED SHIPPING PACKAGE ON EACH ATLAS				
	VEHICLE THAT IS TRANSIT PROTECTION COATED				
	(DEVIATION)				
	- 24 Oz Decoater Bottle - 5 EA				
	- Spray Decoater Gun - 1 EA				
	- Coating Removal Instructions - 1 EA				
	- Print of Dwg #7127722 and 7127732				
	(End of narrative C001)				
	(Mid of narraeric coor)				
	Inspection and Acceptance				
	INSPECTION: Destination ACCEPTANCE: Destination				
	DAVMENT: TDAV is submit the DDATA to TAXON				
	PAYMENT: TRAK is submit the DD250 to TACOM,				
		1	1		l

Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-C-T056

MOD/AMD P00002

Page 6 of 6

EM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	AMSTA-LC-CJBB (Mr. Sam Campanella). The Contracting Officer will sign the DD250 authorizing payment.				
	authorizing payment.				
	(End of narrative E001)				
	Deliveries or Performance DLVR SCH PERF COMPL				
	REL CD QUANTITY DATE 001 18 15-MAY-2003				
	\$ 10,530.00				